



**OSARC**  
OFFICE OF  
STATE AID ROAD CONSTRUCTION



Harry Lee James, P.E.  
State Aid Engineer  
P.O. Box 1850

412 E. Woodrow Wilson Ave.  
Jackson, Mississippi 39216  
Fax (601) 374-7141

November 8, 2019

Board of Supervisors  
Stone County  
c/o Chancery Clerk  
Wiggins, MS 39577

Gentlemen:

RE: **EASTERN FEDERAL LAND  
PROJECT NO. EFL-0066(34)B  
STONE COUNTY**

The Plans and specifications for the above numbered project have been reviewed and are herewith approved. You are, therefore, authorized to advertise this project for bids. The work to be done under this project consists of **Grade, Drain, Base, & Surface**.

The date for opening these bids has been set for **Friday, December 6, 2019 at 10:00 a.m.** in the **Courthouse at Wiggins**.

In accordance with the Provisions of Section 31-7-13, Mississippi Code of 1972 as amended by House Bills numbered 901 and 1306 of the 1991 regular Legislative Session, the advertisement for receipt of bids on this project must be made once each week for two (2) consecutive weeks in a regular newspaper published in your county and, further, that the date as published for the bid opening shall not be less than fifteen (15) working days after the last published notice. The date, as set above, should be no sooner than the sixteenth working day after the last advertisement appears in the newspaper.

We are returning herewith an approved copy of the Plans and Proposal Documents to be filed by your Clerk when advertisement is begun.

Sincerely,

Harry Lee James, P. E.  
State Aid Engineer

*Evelyn Hollins*

By: Evelyn Hollins  
Administrative Assistant

pc: Jonathan K. Bond, P.E., Co. Eng./Project Eng.  
Supervisor District(s) 4  
Jerry Gilliland, P.E.  
F.H.W.A. , 00-01 (if Federal)  
System Consultants Associates  
McGraw Hill Construction Dodge  
**MS Procurement Technical Assistance Program**  
Associated General Contractors of Mississippi, Inc.  
M.R.B.A.  
Project File



OFFICE OF STATE AID ROAD CONSTRUCTION  
MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
AND  
STONE COUNTY BOARD OF SUPERVISORS


SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Stone County, Mississippi at the Stone County Courthouse, Wiggins, Mississippi, until on the \_\_\_\_\_ day of \_\_\_\_\_, and shortly thereafter publicly opened for the construction of 2.164 miles of GRADE, DRAIN, BASE & SURFACE on the EAST MCHENRY ROAD being known as Project No. EFL-0066(34)B in Stone County, Mississippi.


PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

ITEM	QUANTITY	UNIT
<u>ROADWAY ITEMS:</u>		
MOBILIZATION	LUMP SUM	LS
CLEARING AND GRUBBING	LUMP SUM	LS
REMOVAL OF BRIDGE (STA. 209+06)	1.000	UN
REMOVAL OF BRIDGE (STA. 237+36)	1.000	UN
REMOVAL OF BRIDGE (STA. 245+39)	1.000	UN
REMOVAL OF BRIDGE (STA. 278+80)	1.000	UN
REMOVAL OF BRIDGE (STA. 286+64)	1.000	UN
REMOVAL OF PIPE (ALL SIZES)	448.000	LF
UNCLASSIFIED EXCAVATION (FM)	35,305.000	CY
MUCK EXCAVATION (FM)	317.000	CY
GEOGRID, TYPE III	800.000	SY
<u>BASE AND SURFACING ALTERNATE 1 ITEMS:</u>		
GRANULAR MATERIAL (LVM) (CLASS 4, GROUP B)	7,588.000	CY
GRANULAR MATERIAL (LVM) (CLASS 6, GROUP C)	11,879.000	CY
HOT MIX ASPHALT, ST, 9.5MM	2,740.000	TON
HOT MIX ASPHALT, ST, 12.5MM	2,873.000	TON
ASPHALT FOR PRIME COAT (EA-1)	12,497.000	GAL
<u>BASE AND SURFACING ALTERNATE 2 ITEMS:</u>		
GRANULAR MATERIAL (LVM) (CLASS 9, GROUP B)	19,193.000	CY
PORTLAND CEMENT	383.000	TON
SOIL-CEMENT-WATER MIXING (MULTIPLE PASS MIXERS)	28,382.000	SY
HOT MIX ASPHALT, ST, 9.5MM	2,740.000	TON
HOT MIX ASPHALT, ST, 12.5MM	2,154.000	TON
CRUSHED STONE (SIZE 610) (LVM)	270.000	CY
STABILIZER AGGREGATE, MEDIUM (LVM)	475.000	CY
RUMBLE STRIPS, GROUND-IN	4.200	MI



SECTION 900  
PROJECT NO. EFL-0066(34)B  
STONE COUNTY

CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES	1.942	CY
18" REINFORCED CONCRETE PIPE, CLASS III	664.000	LF
30" REINFORCED CONCRETE PIPE, CLASS III	96.000	LF
42" REINFORCED CONCRETE PIPE, CLASS III	56.000	LF
54" REINFORCED CONCRETE PIPE, CLASS III	56.000	LF
18" REINFORCED CONCRETE PIPE, END SECTION	2.000	EA
30" REINFORCED CONCRETE PIPE, END SECTION	4.000	EA
42" REINFORCED CONCRETE PIPE, END SECTION	2.000	EA
54" REINFORCED CONCRETE PIPE, END SECTION	2.000	EA
88" X 54" REINFORCED CONCRETE ARCH PIPE, CLASS III	96.000	LF
88" X 54" REINFORCED CONCRETE ARCH PIPE, END SECTION	4.000	EA
6" PERFORATED PIPE FOR UNDERDRAINS, SDR-35	800.000	LF
6" NON-PERFORATED PIPE FOR UNDERDRAINS, SDR-35	120.000	LF
FILTER MATERIAL FOR FILTER BEDS, TYPE "A"	76.000	CY
FILTER MATERIAL FOR FILTER BEDS, TYPE "B"	84.000	CY
GEOTEXTILE FOR SUBSURFACE DRAINAGE, TYPE III, AOS 0.15-0.43	610.000	SY
GUARD RAIL, "W" BEAM	525.000	LF
GUARD RAIL, BRIDGE END SECTION, TYPE "I" THRIE BEAM	12.000	EA
GUARD RAIL, TERMINAL END SECTION	12.000	EA
ROADWAY CONSTRUCTION SURVEYING	LUMP SUM	LS
RIGHT-OF-WAY MARKERS (I)	42.000	EA
MAINTENANCE OF TRAFFIC	LUMP SUM	LS
ADDITIONAL CONSTRUCTION SIGNS	0.000	SF
4" WIDE THERMOPLASTIC EDGE STRIPE (CONTINUOUS WHITE) (60 MIL)	4.380	MI
4" WIDE THERMOPLASTIC TRAFFIC STRIPE (SKIP YELLOW) (90 MIL)	1.307	MI
4" WIDE THERMOPLASTIC TRAFFIC STRIPE (CONTINUOUS YELLOW) (90 MIL)	14,915.000	LF
THERMOPLASTIC LEGEND (WHITE) (120 MIL)	385.000	LF
TWO-WAY YELLOW REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	145.000	EA



SECTION 900  
PROJECT NO. EFL-0066 (34) B  
STONE COUNTY

REFLECTORIZED TRAFFIC REGULATORY SIGN (ENCAPSULATED LENS)	4.000	EA
REFLECTORIZED TRAFFIC OBJECT MARKER (ENCAPSULATED LENS)(TYPE 3)	12.000	EA
GEOTEXTILE UNDER CRUSHED STONE (TYPE V) (AOS 0.21-0.43)	456.000	SY

EROSION CONTROL ITEMS:

SOLID SODDING	1,000.000	SY
EXCELSIOR BLANKET	1,000.000	SY
HYDROSEEDING	20.500	AC
TEMPORARY SILT FENCE (TYPE II) (AOS 0.15-0.84)	9,505.000	LF
LOOSE RIPRAP, 200 LB.	63.000	TON
GEOTEXTILE UNDER RIPRAP (TYPE V) (AOS 0.21-0.43)	78.000	SY
EROSION MAT	2,244.000	SY
WATTLES, 20"	2,860.000	LF

BRIDGE ITEMS:

SITE "A" ITEMS:

TEST PILE	2.000	EA
CONVENTIONAL STATIC PILE LOAD TEST	0.000	EA
14" PRESTRESSED CONCRETE PILING	680.000	LF
18" PRE-FORMED PILE HOLES	366.000	LF
19' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	12.000	EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	6.000	EA
19' PRECAST CONCRETE SLAB UNIT, 3'-6" EXTERIOR	4.000	EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" EXTERIOR	2.000	EA
PRECAST CONCRETE BARRIER RAIL	138.000	LF
31' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE	2.000	EA
31' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE	2.000	EA
9.25' PRECAST CONCRETE WING	4.000	EA
LOOSE RIPRAP, 300 LB.	236.000	TON
GEOTEXTILE UNDER RIPRAP (TYPE V) (AOS 0.21-0.43)	415.000	SY

SITE "B" ITEMS:

TEST PILE	2.000	EA
-----------	-------	----




SECTION 900  
PROJECT NO. EFL-0066(34)B  
STONE COUNTY

CONVENTIONAL STATIC PILE LOAD TEST	0.000	EA
14" PRESTRESSED CONCRETE PILING	600.000	LF
18" PRE-FORMED PILE HOLES	360.000	LF
19' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	12.000	EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	6.000	EA
19' PRECAST CONCRETE SLAB UNIT, 3'-6" EXTERIOR	4.000	EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" EXTERIOR	2.000	EA
PRECAST CONCRETE BARRIER RAIL	138.000	LF
31' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE	2.000	EA
31' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE	2.000	EA
9.25' PRECAST CONCRETE WING	4.000	EA
LOOSE RIPRAP, 300 LB.	172.000	TON
GEOTEXTILE UNDER RIPRAP (TYPE V) (AOS 0.21-0.43)	315.000	SY

SITE "C" ITEMS:

TEST PILE	2.000	EA
CONVENTIONAL STATIC PILE LOAD TEST	0.000	EA
14" PRESTRESSED CONCRETE PILING	680.000	LF
18" PRE-FORMED PILE HOLES	312.000	LF
31' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	18.000	EA
31' PRECAST CONCRETE SLAB UNIT, 3'-6" EXTERIOR	6.000	EA
PRECAST CONCRETE BARRIER RAIL	186.000	LF
31' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE	2.000	EA
31' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE	2.000	EA
9.25' PRECAST CONCRETE WING	4.000	EA
LOOSE RIPRAP, 300 LB.	184.000	TON
GEOTEXTILE UNDER RIPRAP (TYPE V) (AOS 0.21-0.43)	335.000	SY



RECEIVED

AUG 12 2019

OSARC 1947 21



NOTICE TO CONTRACTORS:

CONTRACT TIME: 200 Working Days

BASIS OF AWARD

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The attention of the BIDDER is directed to the State and Federal laws governing selection of and employment of labor.

MINIMUM WAGE RATES for this project have been predetermined by the Secretary of the the Department of Labor in accordance with the requirements of Federal regulations governing the expenditure of FEDERAL AID HIGHWAY FUNDS and are set out in the labor regulations contained in the proposal.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Stone County, the County Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured from Jonathan K. Bond, County Engineer for Stone County, Mississippi, P. O. Box 369, Wiggins. The Cost is fifty dollars (\$50.00) for plans and fifty dollars (\$50.00) for the proposal, non-refundable

Certified check or bid bond for five percent (5%) of the total bid, made payable to Stone County and the State of Mississippi must accompany each proposal.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Scott Strickland, President  
Stone County Board of Supervisors

